


Ring hearth furnace plant



A new concept
for
carburizing and
oil hardening
of
standard parts



► Technical data (example of execution)


Plant capacity	1.000 - 1.500 kg/hr gross with CHD 0,6 - 0,8mm
Tray measures (double-)	2x 400mm x 500mm x 700 mm (LxWxH)
Working temperature	max. 950°C
Gross heating up capacity	max. 1.500 kg/hr
Heat treatment parts	Shafts and wheels of 20MoCr4

► Application

The outlined ring hearth furnace plant with oil hardening is an alternative to single-track pusher type furnace plants. The optimized combination of proven Aichelin furnace design concepts of rotary hearth furnace and pusher type furnace plants results in extraordinary advantages for the end-user.

Thus the charging from the bottom and the oil bath immersion technology reduce both surface oxidation as well as process gas consumption.

The zone separation by use of intermediate doors allows an accurate process. The simpler drive technology permits the operation of fewer motors. Moreover, the basic trays can be carried out in lighter construction and have a much higher life span. In addition, by new manufacturing concepts the assembly and putting into operation time is clearly reduced.



AICHELIN Ges.m.b.H.
 Fabriksgasse 3
 A - 2340 Mödling
 Phone: +43 (2236) 23 646
 Telefax: +43 (2236) 22 229
 E-Mail: marketing@aichelin.at

AICHELIN Service GmbH
 Schultheiß-Köhle-Strasse 7
 D - 71636 Ludwigsburg
 Phone: +49 (7141) 6437 - 0
 Telefax: +49 (7141) 6437 - 100
 E-Mail: info@aichelin.de

NOXMAT GmbH
 Ringstraße 7
 D - 09569 Oederan
 Phone: +49 (37292) 65 03-0
 Fax: +49 (37292) 65 03-29
 E-Mail: info@noxmat.de

EMA Indutec GmbH
 Petersbergstraße 9
 D - 74909 Meckesheim
 Phone: +49 (6226) 788 - 0
 Telefax: +49 (6226) 788 - 100
 E-Mail: info@ema-indutec.de